

Biographical sketch of Dr. Kendo Kiyosawa



Name: Kendo Kiyosawa, M.D., Ph.D.

Date of birth: Feb. 25, 1943

Place of birth: Nagano Prefecture, Japan

Present position: Professor,

Department of Internal Medicine, Gastroenterology and Hepatology
Shinshu University School of Medicine,

Office Address: Department of Internal Medicine, Gastroenterology and Hepatology
Shinshu University School of Medicine,
3-1-1, Asahi, Matsumoto,
Nagano Prefecture, 390-8621

Japan

Tel: 81-263-37-2632, Fax:81-263-32-9412

e-mail: kkiyosa@hsp.md.shinshu-u.ac.jp

EDUCATION

M.D. – Shinshu University School of Medicine, Matsumoto 1961-1967

POST GRADUATE TRAINING

Internship: Shinshu University Hospital, Matsumoto 1967-1968

Resident: Shinshu University Hospital, Matsumoto 1969-1973

BUSSINES APPOINTMENT

Assistant: Shinshu University School of Medicine, Matsumoto 1973.12-1977

Assistant Professor: Shinshu University School of Medicine, Matsumoto 1978-1985.7

Associate Professor: Shinshu University School of Medicine, Matsumoto 1985.8-1995.4

Professor: Shinshu University School of Medicine, Matsumoto 1995.4- present

Director, Shinshu University Hospital 1999-2003

VISITTING FELLOW

Laboratory of Viral Hepatitis Section (Head: Dr. Robert H. Purcell) 1982.10-1984.3
NIDDK, National Institute of Health, Bethesda, USA

Main References

Umemura T, Wang RY, Schechterly C, Shih JW, Kiyosawa K, Alter HJ.

Quantitative analysis of anti-hepatitis C virus antibody-secreting B cells in patients with chronic hepatitis C. *Hepatology*. 2006 Jan;43(1):91-9.

Tanaka E, Matsumoto A, Suzuki F, Kobayashi M, Mizokami M, Tanaka Y, Okanoue T, Minami M, Chayama K, Imamura M, Yatsushashi H, Nagaoka S, Yotsuyanagi H, Kawata S, Kimura T, Maki N, Iino S, Kiyosawa K; HBV Core-Related Antigen Study Group. Measurement of hepatitis B virus core-related antigen is valuable for identifying patients who are at low risk of lamivudine resistance. *Liver Int*. 2006 Feb;26(1):90-6.

Tanaka N, Ichijo T, Okiyama W, Mutou H, Misawa N, Matsumoto A, Yoshizawa K, Tanaka E, Kiyosawa K. Laparoscopic findings in patients with nonalcoholic steatohepatitis. *Liver Int*. 2006 Feb;26(1):32-8.

Misawa N, Matsumoto A, Tanaka E, Rokuhara A, Yoshizawa K, Umemura T, Maki N, Kimura T, Kiyosawa K. Patients with and without loss of hepatitis B virus DNA after hepatitis B e antigen seroconversion have different virological characteristics. *J Med Virol*. 2006 Jan;78(1):68-73

Rokuhara A, Sun X, Tanaka E, Kimura T, Matsumoto A, Yao D, Yin L, Wang N, Maki N, Kiyosawa K. Hepatitis B virus core and core-related antigen quantitation in Chinese patients with chronic genotype B and C hepatitis B virus infection. *J Gastroenterol Hepatol*. 2005 Nov;20(11):1726-30.

Matsumoto A, Tanaka E, Rokuhara A, Kiyosawa K, Kumada H, Omata M, Okita K, Hayashi N, Okanoue T, Iino S, Tanikawa K; the Inuyama Hepatitis Study Group. Efficacy of lamivudine for preventing hepatocellular carcinoma in chronic hepatitis B: A multicenter retrospective study of 2795 patients. *Hepatol Res*. 2005 32(3):173-84.

Tanaka E, Matsumoto A, Takeda N, Li TC, Umemura T, Yoshizawa K, Miyakawa Y, Miyamura T, Kiyosawa K. Age-specific antibody to hepatitis E virus has remained constant during the past 20 years in Japan. *J Viral Hepat*. 2005 Jul;12(4):439-42.

Iino S, Toyota J, Kumada H, Kiyosawa K, Kakumu S, Sata M, Suzuki H, Martins EB The efficacy and safety of thymosin alpha-1 in Japanese patients with chronic hepatitis B; results from a randomized clinical trial.

J Viral Hepat. 2005 May;12(3):300-6.

Sun X, Rokuhara A, Tanaka E, Gad A, Mutou H, Matsumoto A, Yoshizawa K, Kiyosawa K. Nucleotide mutations associated with hepatitis B e antigen negativity.

J Med Virol. 2005 Jun;76(2):170-5.

Kimura T, Ohno N, Terada N, Rokuhara A, Matsumoto A, Yagi S, Tanaka E, Kiyosawa K, Ohno S, Maki N. Hepatitis B virus DNA-negative dane particles lack core protein but contain a 22-kDa precore protein without C-terminal arginine-rich domain.

J Biol Chem. 2005 Jun 10;280(23):21713-9.

Yoshizawa K, Ota M, Katsuyama Y, Ichijo T, Matsumoto A, Tanaka E, Kiyosawa K. Genetic analysis of the HLA region of Japanese patients with type 1 autoimmune hepatitis.

J Hepatol. 2005 Apr;42(4):578-84.

Kiyosawa K, Umemura T, Ichijo T, Matsumoto A, Yoshizawa K, Gad A, Tanaka E. Hepatocellular carcinoma: recent trends in Japan.

Gastroenterology. 2004 Nov;127(5 Suppl 1):S17-26.

Umemura T, Tanaka E, Ostapowicz G, Brown KE, Heringlake S, Tassopoulos NC, Wang RY, Yeo AE, Shih JW, Orii K, Young NS, Hatzakis A, Manns MP, Lee WM, Kiyosawa K, Alter HJ.

Investigation of SEN virus infection in patients with cryptogenic acute liver failure, hepatitis-associated aplastic anemia, or acute and chronic non-A-E hepatitis.

J Infect Dis. 2003; 188(10): 1545-52.

Umeshita K, Fujiwara K, Kiyosawa K, Makuuchi M, Satomi S, Sugimachi K, Tanaka K, Monden M; Japanese Liver Transplantation Society. Operative morbidity of living liver donors in Japan.

Lancet. 2003 Aug 30; 362(9385): 687-90.

Rokuhara A, Tanaka E, Matsumoto A, Kimura T, Yamaura T, Orii K, Sun X, Yagi S, Maki N, Kiyosawa K. Clinical evaluation of a new enzyme immunoassay for hepatitis B virus core-related antigen; a marker distinct from viral DNA for monitoring lamivudine treatment.

J Viral Hepat. 2003 Jul; 10(4): 324-30.

Gad A, Tanaka E, Matsumoto A, el-Hamid Serwah A, Ali K, Makledy F,

el-Gohary A, Orii K, Ijima A, Rokuhara A, Yoshizawa K, Nooman Z, Kiyosawa K. Factors predisposing to the occurrence of cryoglobulinemia in two cohorts of Egyptian and Japanese patients with chronic hepatitis C infection: ethnic and genotypic influence. *J Med Virol.* 2003 Aug; 70(4): 594-9.

Yamaura T, Tanaka E, Matsumoto A, Rokuhara A, Orii K, Yoshizawa K, Miyakawa Y, Kiyosawa K. A case-control study for early prediction of hepatitis B e antigen seroconversion by hepatitis B virus DNA levels and mutations in the precore region and core promoter. *J Med Virol.* 2003 Aug; 70(4): 545-52.

Tanaka N, Hora K, Makishima H, Kamiyo Y, Kiyosawa K, Gonzalez FJ, Aoyama T. In vivo stabilization of nuclear retinoid X receptor alpha in the presence of peroxisome proliferator-activated receptor alpha. *FEBS Lett.* 2003 May 22; 543(1-3): 120-4.

Kimura T, Rokuhara A, Matsumoto A, Yagi S, Tanaka E, Kiyosawa K, Maki N. New enzyme immunoassay for detection of hepatitis B virus core antigen (HBcAg) and relation between levels of HBcAg and HBV DNA. *J Clin Microbiol.* 2003 May; 41(5): 1901-6.

Yoshizawa K, Ota M, Saito S, Maruyama A, Yamaura T, Rokuhara A, Orii K, Ichijo T, Matsumoto A, Tanaka E, Kiyosawa K. Long-term follow-up of hepatitis C virus infection: HLA class II loci influences the natural history of the disease. *Tissue Antigens.* 2003 Feb; 61(2): 159-65.

Yoshizawa K, Cioca DP, Kawa S, Tanaka E, Kiyosawa K. Peroxisome proliferator-activated receptor gamma ligand troglitazone induces cell cycle arrest and apoptosis of hepatocellular carcinoma cell lines. *Cancer.* 2002 Nov 15; 95(10): 2243-51.

Fujiwara K, Yokosuka O, Ehata T, Saisho H, Saotome N, Suzuki K, Okita K, Kiyosawa K, Omata M. Association between severity of type A hepatitis and nucleotide variations in the 5' non-translated region of hepatitis A virus RNA: strains from fulminant hepatitis have fewer nucleotide substitutions. *Gut.* 2002 Jul; 51(1): 82-8.

Kawa S, Ota M, Yoshizawa K, Horiuchi A, Hamano H, Ochi Y, Nakayama K, Tokutake Y, Katsuyama Y, Saito S, Hasebe O, Kiyosawa K. HLA DRB10405-DQB10401 haplotype is associated with autoimmune pancreatitis in the Japanese population. *Gastroenterology.* 2002 May; 122(5): 1264-9.

Hamano H, Kawa S, Ochi Y, Unno H, Shiba N, Wajiki M, Nakazawa K, Shimojo H, Kiyosawa K. Hydronephrosis associated with retroperitoneal fibrosis and sclerosing pancreatitis. *Lancet*. 2002 Apr 20; 359(9315): 1403-4.

Umemura T, Alter HJ, Tanaka E, Orii K, Yeo AE, Shih JW, Matsumoto A, Yoshizawa K, Kiyosawa K. SEN virus: response to interferon alfa and influence on the severity and treatment response of coexistent hepatitis C. *Hepatology*. 2002 Apr; 35(4): 953-9.

Kiyosawa K, Tanaka E. Characteristics of hepatocellular carcinoma in Japan. *Oncology*. 2002; 62 Suppl 1: 5-7.

Kimura T, Rokuhara A, Sakamoto Y, Yagi S, Tanaka E, Kiyosawa K, Maki N. Sensitive enzyme immunoassay for hepatitis B virus core-related antigens and their correlation to virus load. *J Clin Microbiol*. 2002 Feb; 40(2): 439-45.

Umemura T, Tanaka Y, Kiyosawa K, Alter HJ, Shih JW. Observation of positive selection within hypervariable regions of a newly identified DNA virus (SEN virus)(1). *FEBS Lett*. 2002 Jan 16; 510(3): 171-4.

Umemura T, Alter HJ, Tanaka E, Yeo AE, Shih JW, Orii K, Matsumoto A, Yoshizawa K, Kiyosawa K. Association between SEN virus infection and hepatitis C in Japan. *J Infect Dis*. 2001 Nov 15; 184(10): 1246-51.

Zhang JY, Zhu W, Imai H, Kiyosawa K, Chan EK, Tan EM. De-novo humoral immune responses to cancer-associated autoantigens during transition from chronic liver disease to hepatocellular carcinoma. *Clin Exp Immunol*. 2001 Jul; 125(1): 3-9.

Aoyagi K, Iida K, Ohue C, Matsunaga Y, Tanaka E, Kiyosawa K, Yagi S. Performance of a conventional enzyme immunoassay for hepatitis C virus core antigen in the early phases of hepatitis C infection. *Clin Lab*. 2001; 47(3-4): 119-27.

Hamano H, Kawa S, Horiuchi A, Unno H, Furuya N, Akamatsu T, Fukushima M, Nikaido T, Nakayama K, Usuda N, Kiyosawa K. High serum IgG4 concentrations in patients with sclerosing pancreatitis. *N Engl J Med*. 2001 Mar 8; 344(10): 732-8.

Kasahara A, Hayashi N, Mochizuki K, Hiramatsu N, Sasaki Y, Kakumu S,

- Kiyosawa K, Okita K. Clinical characteristics of patients with chronic hepatitis C showing biochemical remission, without hepatitis C virus eradication, as a result of interferon therapy. The Osaka Liver Disease Study Group. *J Viral Hepat.* 2000 Sep; 7(5): 343-51.
- Tanaka E, Ohue C, Aoyagi K, Yamaguchi K, Yagi S, Kiyosawa K, Alter HJ. Evaluation of a new enzyme immunoassay for hepatitis C virus (HCV) core antigen with clinical sensitivity approximating that of genomic amplification of HCV RNA. *Hepatology.* 2000 Aug; 32(2): 388-93.
- Umemura T, Yoshizawa K, Ota M, Katsuyama Y, Inada H, Tanaka E, Kiyosawa K. Analysis of T cell repertoire in the liver of patients with chronic hepatitis C. *Clin Exp Immunol.* 2000 Jul; 121(1): 120-6.
- Inada H, Yoshizawa K, Ota M, Katsuyama Y, Ichijo T, Umemura T, Tanaka E, Kiyosawa K. T cell repertoire in the liver of patients with primary biliary cirrhosis. *Hum Immunol.* 2000 Jul; 61(7): 675-83.
- Malaty HM, Kumagai T, Tanaka E, Ota H, Kiyosawa K, Graham DY, Katsuyama T. Evidence from a nine-year birth cohort study in Japan of transmission pathways of *Helicobacter pylori* infection. *J Clin Microbiol.* 2000 May; 38(5): 1971-3.
- Kawa S, Mukawa K, Kiyosawa K. Hypocalcemia <7.5 mg/dl: early predictive marker for multisystem organ failure in severe acute necrotizing pancreatitis, proposed by the study analyzing post-ERCP pancreatitis. *Am J Gastroenterol.* 2000 Apr; 95(4): 1096-7.
- Yoshizawa K, Ota M, Katsuyama Y, Ichijo T, Inada H, Umemura T, Tanaka E, Kiyosawa K. T cell repertoire in the liver of patients with autoimmune hepatitis. *Hum Immunol.* 1999 Sep; 60(9): 806-15.
- Fujisawa T, Kumagai T, Akamatsu T, Kiyosawa K, Matsunaga Y. Changes in seroepidemiological pattern of *Helicobacter pylori* and hepatitis A virus over the last 20 years in Japan. *Am J Gastroenterol.* 1999 Aug; 94(8): 2094-9.
- Hosaka S, Akamatsu T, Nakamura S, Kaneko T, Kitano K, Kiyosawa K, Ota H, Hosaka N, Miyabayashi H, Katsuyama T. Mucosa-associated lymphoid tissue (MALT) lymphoma of the rectum with chromosomal translocation of the t(11;18)(q21;q21) and an additional aberration of trisomy 3.

Am J Gastroenterol. 1999 Jul; 94(7): 1951-4.

Matsumoto A, Yeo AE, Shih JW, Tanaka E, Kiyosawa K, Alter HJ. Transfusion-associated TT virus infection and its relationship to liver disease.

Hepatology. 1999 Jul; 30(1): 283-8.

Aoyagi K, Ohue C, Iida K, Kimura T, Tanaka E, Kiyosawa K, Yagi S. Development of a simple and highly sensitive enzyme immunoassay for hepatitis C virus core antigen.

J Clin Microbiol. 1999 Jun; 37(6): 1802-8.

Sobajima J, Ozaki S, Uesugi H, Osakada F, Inoue M, Fukuda Y, Shirakawa H, Yoshida M, Rokuhara A, Imai H, Kiyosawa K, Nakao K. High mobility group (HMG) non-histone chromosomal proteins HMG1 and HMG2 are significant target antigens of perinuclear anti-neutrophil cytoplasmic antibodies in autoimmune hepatitis.

Gut. 1999 Jun; 44(6): 867-73.

Ishii K, Rosa D, Watanabe Y, Katayama T, Harada H, Wyatt C, Kiyosawa K, Aizaki H, Matsuura Y, Houghton M, Abrignani S, Miyamura T. High titers of antibodies inhibiting the binding of envelope to human cells correlate with natural resolution of chronic hepatitis C.

Hepatology. 1998 Oct; 28(4): 1117-20.

Kumagai T, Malaty HM, Graham DY, Hosogaya S, Misawa K, Furihata K, Ota H, Sei C, Tanaka E, Akamatsu T, Shimizu T, Kiyosawa K, Katsuyama T. Acquisition versus loss of Helicobacter pylori infection in Japan: results from an 8-year birth cohort study. J Infect Dis. 1998 Sep; 178(3): 717-21.

Tanaka E, Kiyosawa K, Shimoda K, Hino K, Tacke M, Schmolke S, Engel AM, Hess G. Evolution of hepatitis G virus infection and antibody response to envelope protein in patients with transfusion-associated non-A, non-B hepatitis.

J Viral Hepat. 1998 May; 5(3): 153-9.

Kasahara A, Hayashi N, Mochizuki K, Takayanagi M, Yoshioka K, Kakumu S, Iijima A, Urushihara A, Kiyosawa K, Okuda M, Hino K, Okita K. Risk factors for hepatocellular carcinoma and its incidence after interferon treatment in patients with chronic hepatitis C. Osaka Liver Disease Study Group.

Hepatology. 1998 May; 27(5): 1394-402.

Kiyosawa K, Tanaka E, Sodeyama T. Hepatitis C virus and hepatocellular carcinoma. Curr Stud Hematol Blood Transfus. 1998; (62): 161-80.

Horiuchi A, Kawa S, Akamatsu T, Aoki Y, Mukawa K, Furuya N, Ochi Y,

Kiyosawa K. Characteristic pancreatic duct appearance in autoimmune chronic pancreatitis: a case report and review of the Japanese literature.

Am J Gastroenterol. 1998 Feb; 93(2): 260-3.

Tanaka E, Tacke M, Kobayashi M, Nakatsuji Y, Kiyosawa K, Schmolke S, Engel AM, Hess G, Alter HJ. Past and present hepatitis G virus infections in areas where hepatitis C is highly endemic and those where it is not endemic.

J Clin Microbiol. 1998 Jan; 36(1): 110-4.

Tacke M, Schmolke S, Schlueter V, Sauleda S, Esteban JI, Tanaka E, Kiyosawa K, Alter HJ, Schmitt U, Hess G, Ofenloch-Haehnle B, Engel AM.

Humoral immune response to the E2 protein of hepatitis G virus is associated with long-term recovery from infection and reveals a high frequency of hepatitis G virus exposure among healthy blood donors.

Hepatology. 1997 Dec; 26(6): 1626-33.

Kawa S, Nikaido T, Aoki Y, Zhai Y, Kumagai T, Furihata K, Fujii S,

Kiyosawa K. Vitamin D analogues up-regulate p21 and p27 during growth inhibition of pancreatic cancer cell lines.

Br J Cancer. 1997; 76(7): 884-9.

Toda G, Zeniya M, Watanabe F, Imawari M, Kiyosawa K, Nishioka M, Tsuji T, Omata M. Present status of autoimmune hepatitis in Japan--correlating the characteristics with international criteria in an area with a high rate of HCV infection. Japanese National Study Group of Autoimmune Hepatitis.

J Hepatol. 1997 Jun; 26(6): 1207-12.

Tacke M, Kiyosawa K, Stark K, Schlueter V, Ofenloch-Haehnle B, Hess G, Engel AM. Detection of antibodies to a putative hepatitis G virus envelope protein.

Lancet. 1997 Feb 1; 349(9048): 318-20. Erratum in: Lancet 1997 Mar8;349(9053):736.

Nakatsuji Y, Shih JW, Tanaka E, Kiyosawa K, Wages J Jr, Kim JP, Alter HJ. Prevalence and disease association of hepatitis G virus infection in Japan.

J Viral Hepat. 1996 Nov; 3(6): 307-16.

Tanaka E, Alter HJ, Nakatsuji Y, Shih JW, Kim JP, Matsumoto A, Kobayashi M, Kiyosawa K. Effect of hepatitis G virus infection on chronic hepatitis C.

Ann Intern Med. 1996 Nov 1; 125(9): 740-3.

Tanaka E, Kiyosawa K, Matsumoto A, Kashiwakuma T, Hasegawa A, Mori H, Yanagihara O, Ohta Y. Serum levels of hepatitis C virus core protein in patients with chronic hepatitis C treated with interferon alfa.

Hepatology. 1996 Jun; 23(6): 1330-3.

Kawa S, Yoshizawa K, Tokoo M, Imai H, Oguchi H, Kiyosawa K, Homma T, Nikaido T, Furihata K. Inhibitory effect of 220-oxa-1,25-dihydroxyvitamin D₃ on the proliferation of pancreatic cancer cell lines.

Gastroenterology. 1996 May; 110(5): 1605-13.

Kobayashi M, Tanaka E, Sodeyama T, Urushihara A, Matsumoto A, Kiyosawa K.

The natural course of chronic hepatitis C: a comparison between patients with genotypes 1 and 2 hepatitis C viruses.

Hepatology. 1996 Apr; 23(4): 695-9.

Kashiwakuma T, Hasegawa A, Kajita T, Takata A, Mori H, Ohta Y, Tanaka E, Kiyosawa K, Tanaka T, Tanaka S, Hattori N, Kohara M. Detection of hepatitis C virus specific core protein in serum of patients by a sensitive fluorescence enzyme immunoassay (FEIA).

J Immunol Methods. 1996 Mar 28; 190(1): 79-89.

Tanaka T, Lau JY, Mizokami M, Orito E, Tanaka E, Kiyosawa K, Yasui K, Ohta Y, Hasegawa A, Tanaka S, et al. Simple fluorescent enzyme immunoassay for detection and quantification of hepatitis C viremia.

J Hepatol. 1995 Dec; 23(6): 742-5.

von Muhlen CA, Chan EK, Peebles CL, Imai H, Kiyosawa K, Tan EM. Non-muscle myosin as target antigen for human autoantibodies in patients with hepatitis C virus-associated chronic liver diseases.

Clin Exp Immunol. 1995 Apr; 100(1): 67-74.

Suzuki K, Mizokami M, Lau JY, Mizoguchi N, Kato K, Mizuno Y, Sodeyama T, Kiyosawa K, Gojobori T. Confirmation of hepatitis C virus transmission through needlestick accidents by molecular evolutionary analysis.

J Infect Dis. 1994 Dec; 170(6): 1575-8.

Kawa S, Tokoo M, Hasebe O, Hayashi K, Imai H, Oguchi H, Kiyosawa K, Furuta S, Homma T. Comparative study of CA242 and CA19-9 for the diagnosis of pancreatic cancer.

Br J Cancer. 1994 Sep; 70(3): 481-6.

Treichel U, McFarlane BM, Seki T, Krawitt EL, Alessi N, Stickel F,

- McFarlane IG, Kiyosawa K, Furuta S, Freni MA, et al. Demographics of anti-asialoglycoprotein receptor autoantibodies in autoimmune hepatitis. *Gastroenterology*. 1994 Sep; 107(3): 799-804.
- Kiyosawa K, Tanaka E, Sodeyama T, Yoshizawa K, Yabu K, Furuta K, Imai H, Nakano Y, Usuda S, Uemura K, et al. Transmission of hepatitis C in an isolated area in Japan: community-acquired infection. The South Kiso Hepatitis Study Group. *Gastroenterology*. 1994 Jun; 106(6): 1596-602.
- Hashikura Y, Makuuchi M, Kawasaki S, Matsunami H, Ikegami T, Nakazawa Y, Kiyosawa K, Ichida T. Successful living-related partial liver transplantation to an adult patient. *Lancet*. 1994 May 14; 343(8907): 1233-4.
- Yamaguchi K, Tanaka E, Higashi K, Kiyosawa K, Matsumoto A, Furuta S, Hasegawa A, Tanaka S, Kohara M. Adaptation of hepatitis C virus for persistent infection in patients with acute hepatitis. *Gastroenterology*. 1994 May; 106(5): 1344-8.
- Kiyosawa K, Tanaka E, Sodeyama T, Furuta S. Natural history of hepatitis C. *Intervirology*. 1994; 37(2): 101-7.
- Kiyosawa K, Furuta S. Hepatitis C virus and hepatocellular carcinoma. *Curr Stud Hematol Blood Transfus*. 1994; (61): 98-120.
- Yoshizawa K, Kiyosawa K, Yamada S, Furuta K, Yabu K, Kitano K, Akamatsu T, Nakayama J, Katsuyama T, Matsunami H, et al. Establishment of Epstein-Barr virus-associated lymphoma cell line SUBL with t(2;3)(p11;q27) from a liver transplant patient. *Cancer Genet Cytogenet*. 1993 Dec; 71(2): 155-63.
- Imai H, Chan EK, Kiyosawa K, Fu XD, Tan EM. Novel nuclear autoantigen with splicing factor motifs identified with antibody from hepatocellular carcinoma. *J Clin Invest*. 1993 Nov; 92(5): 2419-26.
- Kiyosawa K, Sodeyama T, Tanaka E. Prognosis of asymptomatic hepatitis B surface antigen carriers. *Ann Intern Med*. 1993 Sep 15; 119(6): 535.
- Sodeyama T, Kiyosawa K, Urushihara A, Matsumoto A, Tanaka E, Furuta S, Akahane Y. Detection of hepatitis C virus markers and hepatitis C virus genomic-RNA after needlestick accidents. *Arch Intern Med*. 1993 Jul 12; 153(13): 1565-72.

Seki T, Kiyosawa K, Ota M, Furuta S, Fukushima H, Tanaka E, Yoshizawa K, Kumagai T, Mizuki N, Ando A, et al. Association of primary biliary cirrhosis with human leukocyte antigen DPB1*0501 in Japanese patients.

Hepatology. 1993 Jul; 18(1): 73-8.

Imai H, Nakano Y, Kiyosawa K, Tan EM. Increasing titers and changing specificities of antinuclear antibodies in patients with chronic liver disease who develop hepatocellular carcinoma. Cancer. 1993 Jan 1; 71(1): 26-35.

Nakatsuji Y, Matsumoto A, Tanaka E, Ogata H, Kiyosawa K. Detection of chronic hepatitis C virus infection by four diagnostic systems: first-generation and second-generation enzyme-linked immunosorbent assay, second-generation recombinant immunoblot assay and nested polymerase chain reaction analysis.

Hepatology. 1992 Aug; 16(2): 300-5.

Furuta K, Sodeyama T, Usuda S, Yoshizawa K, Kiyosawa K, Furuta S, Imai Y, Itoh N, Fukuzawa M, Hotchi M. Epithelioid hemangioendothelioma of the liver diagnosed by liver biopsy under laparoscopy.

Am J Gastroenterol. 1992 Jun; 87(6): 797-800.

Imai H, Ochs RL, Kiyosawa K, Furuta S, Nakamura RM, Tan EM. Nucleolar antigens and autoantibodies in hepatocellular carcinoma and other malignancies.

Am J Pathol. 1992 Apr; 140(4): 859-70.

Ota M, Seki T, Kiyosawa K, Furuta S, Hino K, Kondo T, Fukushima H, Tsuji K, Inoko H. A possible association between basic amino acids of position 13 of DRB1 chains and autoimmune hepatitis.

Immunogenetics. 1992; 36(1): 49-55.

Kiyosawa K, Sodeyama T, Tanaka E, Nakano Y, Furuta S, Nishioka K, Purcell RH, Alter HJ. Hepatitis C in hospital employees with needlestick injuries.

Ann Intern Med. 1991 Sep 1; 115(5): 367-9.

Hayata T, Nakano Y, Yoshizawa K, Sodeyama T, Kiyosawa K. Effects of interferon on intrahepatic human leukocyte antigens and lymphocyte subsets in patients with chronic hepatitis B and C.

Hepatology. 1991 Jun; 13(6): 1022-8.

Seki T, Kiyosawa K, Inoko H, Ota M. Association of autoimmune hepatitis with HLA-Bw54 and DR4 in Japanese patients.

Hepatology. 1990 Dec; 12(6): 1300-4.

Kiyosawa K, Sodeyama T, Tanaka E, Gibo Y, Yoshizawa K, Nakano Y, Furuta S, Akahane Y, Nishioka K, Purcell RH, et al. Interrelationship of blood transfusion, non-A, non-B hepatitis and hepatocellular carcinoma: analysis by detection of antibody to hepatitis C virus.

Hepatology. 1990 Oct; 12(4 Pt 1): 671-5.

Watanabe J, Minegishi K, Mitsumori T, Ishifuji M, Oguchi T, Ueda M, Tokunaga E, Tanaka E, Kiyosawa K, Furuta S, et al. Prevalence of anti-HCV antibody in blood donors in the Tokyo area.

Vox Sang. 1990; 59(2): 86-8.

Nakano Y, Kiyosawa K, Sodeyama T, Tanaka E. Comparative study of clinical, histological, and immunological responses to interferon therapy in type non-A, non-B, and type B chronic hepatitis. Am J Gastroenterol. 1990 Jan; 85(1): 24-9.

Kiyosawa K, Gibo Y, Sodeyama T, Furuta K, Imai H, Yoda H, Koike Y, Yoshizawa K, Furuta S. Possible infectious causes in 651 patients with acute viral hepatitis during a 10-year period (1976-1985).

Liver. 1987 Jun; 7(3): 163-8.

Sodeyama T, Kiyosawa K, Akahane Y, Tanaka E, Wada S, Oike Y, Nakamura M, Yoda H, Imai Y, Gibo Y, et al. Evolution of HBeAg/anti-HBe status and its relationship to clinical and histological outcome in chronic HBV carriers in childhood.

Am J Gastroenterol. 1986 Apr; 81(4): 239-45.

Kiyosawa K, Daemer RJ, He LF, Bonino F, Prozesky OW, Purcell RH. The spectrum of complement-fixing antinuclear antibodies in patients with hepatocellular carcinoma.

Hepatology. 1985 Jul-Aug; 5(4): 548-55.

Nagata A, Kiyosawa K, Koike Y, Miura M, Gibo Y, Sodeyama T, Wada S, Akahane Y, Furuta S. Epidemiology of sporadic acute non-A, non-B hepatitis in Japan: a comparison with hepatitis A and B.

Am J Gastroenterol. 1985 Apr; 80(4): 298-302.

Kiyosawa K, Akahane Y, Nagata A, Furuta S. Hepatocellular carcinoma after non-A, non-B posttransfusion hepatitis.

Am J Gastroenterol. 1984 Oct; 79(10): 777-81.

Kiyosawa K, Akahane Y, Miyazaki Y, Sato K, Shirai T, Mizuno T, Ozawa S, Shiga T, Hayashi S, Furuta S. Resection of thorotrast-induced cholangiocarcinoma.
Am J Gastroenterol. 1983 Jul; 78(7): 429-33.

Kiyosawa K, Akahane Y, Nagata A, Koike Y, Furuta S. The significance of blood transfusion in non-A, non-B chronic liver disease in Japan.
Vox Sang. 1982 Jul; 43(1): 45-52.

Gibo Y, Nagata A, Kiyosawa K, Sodeyama T, Wada S, Furuta S. Intranuclear particles in the hepatocytes of patients with non-A, non-B hepatitis and acute intermittent porphyria.
Gastroenterology. 1982 Apr; 82(4): 818-9.

Aikawa T, Sairenji H, Furuta S, Kiyosawa K, Shikata T, Imai M, Miyakawa Y, Yanase Y, Mayumi M. Seroconversion from hepatitis B e antigen to anti-HBe in acute hepatitis B virus infection.
N Engl J Med. 1978 Feb 23; 298(8): 439-41.

Furuta S, Kiyosawa K, Nagata A, Akahane Y, Oda M. HBsAg on cell membrane in symptom-free carrier.
Lancet. 1975 Aug 2; 2(7927): 227.