Curriculum Vitae



CV of Yi-Lwun Ho MD Birth day: 1st April, 1965 Married

MD degree from National Taiwan University School of Medicine
PhD degree from graduate institute of clinical medicine, National Taiwan University College
of Medicine

1990-1993: Resident training in Department of Internal Medicine, National Taiwan University Hospital

1993-1995: Fellowship for cardiology at section of cardiology, Department of Internal Medicine, National Taiwan University Hospital

1995-: Visiting Staff at section of cardiology, Department of Internal Medicine, National Taiwan University Hospital

1998-2001: Lecturer at National Taiwan University School of Medicine

2001-: Assistant professor at National Taiwan University School of Medicine

2004-: Physician of Heart Failure Center in Natinal Taiwan University Hospital

Publication:

- Ho YL; Lin YH; Tsai IJ; Hsieh FJ, Tsai HJ. Assessment of Cardiac Morphology and Function in Heart-Specific Green Fluorescent Zebrafish. J Formos Med Assoc 2006; Accept
- 2. Lin YH; Ho YL*; Wang TD; Liu CP; Kao HL; Chao CL; Chien KL; Hung CS; Wu VC; Tsai IJ; Yen RF; Shiau YC; Chen WJ. The relation of aminoterminal propertide of type III procollagen and severity of coronary artery disease in patients without myocardial infarction or hibernation. Clinical Biochemistry 2006; Accept *corresponder

- 3. Wang CS, Lin YH, Tsai CT, Ho YL*. Absence of PRKAG2 mutation in isolated familial Wolff-Parkinson-White syndrome-a case report. Acta Cardiol Sin. 2005;21:223-228 *corresponder
- 4. Ho YL. Inappropriate shock of ICD. Acta Cardiol Sin. 2005;21 suppl II:27-30
- 5. Yang KC, Hung CC, Ho YL*. Tuberculous serositis coexisting with reversible high-grade atrioventricular Block. Acta Cardiol Sin. 2005; 21: 164-168*corresponder
- 6. Liu CP, Hsu RB, Hua SZ, Ho YL*. Valvular replacement for patients with aortic stenosis and severe left ventricular dysfunction. Acta Cardiol Sin. 2005; 21; 21-27 *corresponder
- Lin YH, Shiau YC, Yen RF, Lin LC, Wu CC, Ho YL*, Huang PJ. The Relation Between Myocardial Cyclic Variation of Integrated Backscatter and Serum Concentrations of Procollagen Propeptides in Hypertensive Patients. Ultrasound Med Biol 2004; 30: 885-891 *corresponder
- 8. Ho YL, Lin LY, Lin JL, Chen MF, Chen WJ, Lee YT. Usefulness of ST Segment Elevation in Lead aVR During Tachycardia in Determining the Mechanism of Narrow QRS Complex Tachycardia. Am J Cardiol 2003; 92: 1424-1428
- Ho YL, Chen CL, Hsu RB, Lin LC, Huang PJ. The correlation between expression of apoptosis related proteins and myocardial functional reserve evaluated by dobutamine stress echocardiography in patients with dilated cardiomyopathy. J Am Sco Echgocardiogr 2003; 16: 931-936.
- Ho YL, Shau YW, Tsai HJ, Lin LC, Huang PJ, Hsieh FC. Assessment of zebrafish cardiac performance using Doppler echocardiography and power angiography. Ultrasound Med Biol 2002, 28:1209-1215
- 11. Ho YL, Lin LC, Yen ML, Wu CC, Chow SN, Huang PJ. Assessment of the menopause-induced myocardial changes by integrated backscatter during inotropic stimulation and atropine injection. Ultrasound Med Biol 2002, 28: 887-893
- 12. Ho YL, Wu CC, Yen RF, Hung SR, Chen MF, Huang PJ. Different Ischemic Patterns Between Patients With Myocardial Bridging and Syndrome X: Evaluation by Dobutamine Stress Echocardiography and Stress Thallium-201 SPECT. J Formos Med Assoc 2001, 100; 83-88
- 13. Ho YL, Chen CL, Hsu RB, Lin LC, Yen RF, Lee CM, Chen MF, and Huang PJ. Assessment of the Myocardial Changes in Heart Transplant Recipients Without Evident Acute Myocardial Rejection by Integrated Backscatter: Comparison with Simultaneous Dobutamine Stress Echocardiography and Thallium-201 SPECT. Ultrasound Med Biol 2001, 27:171-179
- 14. Ho YL, Wu CC, Lin LC, Chen MF, Lee YT, Huang PJ. Integrated Backscatter for Quantification and Risk Stratification of Blood Stagnation in Left Atrial Appendage of Patients with Rheumatic Mitral Stenosis. Cardiology 2000; 93: 113-120
- 15. Ho YL, Lin LC, Yen RF, Wu CC, Chen MF, Huang PJ. Significance of Dobutamine-Induced ST-Segment Elevation and T-wave Pseudo-Normalization in Patients With Q-Wave Myocardial Infarction: Simultaneous Evaluation by Dobutamine

- Stress Echocardiography and Thallium-201 SPECT Am J Cardiol 1999; 84:125-129
- 16. Ho YL, Wu CC, Huang PJ, Lin LC, Chieng PU, Chen WJ, Chen MF, Lee YT. Assessment of Coronary Artery Disease in Women by Dobutamine Stress Echocardiography Comparison with Stress Thallium-201 Single-Photon Emission Computed Tomography and Exercise Electrocardiography Am Heart J 1998;135: 655-662
- 17. Ho YL, Wu CC, Lin LC, Huang CH, Chen WJ, Chen MF, Liau CS, Lee YT. Assessment of the Coronary Artery Disease and systolic dysfunction in Hypertensive Patients with the Dobutamine-Atropine Stress Echocardiography: Effect of the Left Ventricular Hypertrophy Cardiology 1998; 89: 52-58
- Ho YL, Wu CC, Lin LC, Liu YB, Chen WJ, Chen MF, Liau CS, Lee YT. Assessment of the Functional Significance of Coronary Artery Stenosis by Dobutamine - Atropine Stress Echocardiography Cardiology 1997;88:386-392
- 19. Ho YL, Wu CC, Huang PJ, Tseng WK, Lin LC, Chieng PU, Chen MF, Lee YT. Dobutamine Stress Echocardiography Compared with Exercise Thallium-201 Single-Photon Emission Computed Tomography in Detecting Coronary Artery Disease Effect of Exercise Level on the Accuracy. Cardiology 1997;88:379-385
- Ho YL, Wu CC, Chao CL, Lin LC, Tseng WK, Chen WJ, Huang PJ, Lee YT. Localizing Individual Coronary Artery Obstructions with the Dobutamine Stress Echocardiography. Cardiology 1997; 88: 197-202
- 21. Ho YL, Chen WJ, Wu CC, Chao CL, Kao HL, Lee YT. Deformity and Rupture of Inoue Balloon During Balloon Valvuloplasty Procedure.Cathet Cardiovasc Diagn 1996; 38: 345-50
- 22. Ho YL , Kao HL, Wu CC, Chen MF, Lee YT. Intravascular Ultrasonographic Characterization of Calcification of the Patent Ductus Arteriosus in Adults. Am Heart J 1996;132: 457-9
- 23. Ho YL, Chen MF, Wu CC, Chen WJ, Lee YT. Successful Treatment of Acute Myocardial Infarction by Thrombolytic Therapy in a Patient with Primary Antiphospholipid Antibody Syndrome Cardiology 1996; 87: 354-357
- 24. Ho YL, Wu CC, Chen WJ, Chu SH, Lee YT: Flow Pattern of Four Pulmonary Veins in a Case with Prolapsing Left Atrial Myxoma. Angiology 1995; 46: 1053-1057
- 25. Ho YL, Chen WJ, Wu CC, Lee YT:Acute Myocardial Infarction in a Case of Myelofibrosis with Patent Coronary Arteries and Arteriovenous Fistulae Draining into the Main Pulmonary Artery. Int J Cardiol 1994;46:49-51
- 26. Huang CR, Chou TS, Ho YL, Lee WH, Jeng YT, Hsieh FJ, Tsai, HJ. Conditional expression of a myocardium-specific transgene in zebrafish transgenic lines. Dev Dyn 2005; 233: 1294-303
- 27. Hsu RB, Ho YL, Chen RJ, Wang SS, Lin FY, Chu SH. Outcome of medical and surgical treatment in patients with acute type B aortic dissection. Annals of Thoracic Surgery 2005; 79:790-794

- 28. Yu HY, Ho YL, Chu SH, Chen YS, Wang SS, Lin FY. Performance of Carpentier-Edwards porcine bioprosthesis for rheumatic heart disease: A 24-year follow-up study. J Thorac Cardiovasc Surg 2003; 126: 80-89
- 29. Yen RF, Ho YL, Chou NK, Hsu RB, Huang PJ. Inhopmogrneity of thallium-201 perfusion scan in heart transplantation recipients. Nucl Med Commu 2001; 22:1015-1019
- 30. Lin LC, Ho YL, Wu CC, Chen MF, Liau CS, Huang PJ, Lee YT. Comparison with simultaneous dobutamine echocardiography and thallium-201 stress-reinjection single-photon emission computed tomography in predicting improvement of chronic myocardial dysfunction after revascularization. Am J Cardiol 2000; 86:293-298
- 31. Lin LC, Ho YL, Kao SL, Wu CC, Liau CS, Chen MF, Lee YT. Power Doppler-derived speckle tracking image of intraventricular flow in patients with anterior myocardial infarction: correlation with thrombus formation. Ultrasound Med Biol 2000; 26: 341-346
- 32. Liu YB, Ho YL, Lin FY, Lee YT. Traumatic tricuspid regurgitation complicating endocarditis and right-to-left intracardiac shunt: a case report of successful operation J Cardiovasc Surg 1998;39:663-665
- 33. Huang PJ, Ho YL, Wu CC, Chao CL, Chen MF, Chien PU, Lee YT. Simultaneous Dobutamine Stress Echocardiography and Thallium-201 Single-Photon Emission Computed Tomography for Detecting Coronary Artery Disease Cardiology 1997; 88:556-62
- 34. Tseng WK, Ho YL, Chen WJ, Wu CC, Lee YT. Intravascular Ultrasonographic Findings of Tubular Coarctation of the Aorta in an Adult J Med Ultrasound 1997;5:62-65
- 35. Wu CC, Ho YL, Kao HL, Chen WJ, Lee CM, Chen MF, Liau CS, Lee YT. Dobutamine Stress Echocardiography for Detecting of Coronary Artery Disease Cardiology 1996; 87: 244-249
- 36. Wang JY, Hsueh PR, Ho YL, Liau CS. Fatal salmonella pulmonary arteritis in a patients with Eisenmengerization syndrome. Clin Infect Dis 2005, 40:331-332
- 37. Wu CC, Lin LC, Ho YL, Liau CS, Lee YT. Intraventricular isovolumic relaxation flow patterns improve the predicting power of Doppler echocardiography for the left ventricular filling pressure in patients with anterior wall myocardial infarction. Cardiology. 2000; 94: 200-207.
- 38. Huang CH, Chen WJ, Ho YL, Wu CC, Lee YT. Nonsurgical transvenous retrieval of fractured implantable central venous access device. J Formos Med Assoc 1999; 98:265-270
- 39. Lin LC, Wu CC, Ho YL, Lin CW, Chen WJ, Chen MF, Liau CS, Lee YT. Ultrasonic tissue characterization for coronary care uint patients with acute myocardial infarction Ultrasound Med Biol 1998;24:187-196
- 40. Lin LC, Wu CC, Ho YL, Chen MF, Liau CS, Lee YT. Ultrasonic tissue characterizationon in predicting residual ischemia and myocardial viability for patients with acute myocardial infarction Ultrasound Med Biol 1998; 24: 1107-1120

- 41. Kao HL, Wu CC, Ho YL, Chen WJ, Lee CM, Chen MF, Liau CS, Lee YT: Dobutamine Stress Echocardiography predicts early wall motion improvement after elective percutaneous transluminal coronary angioplasty. Am J Cardiol 1995; 76: 652-656
- 42. Yen ML, Yang CY, Yen BL, Ho YL, Cheng WC, Bai CH. Increased high sensitivity C-reactive protein and neutrophil count are related to increased standard cardiovascular risk factors in healthy Chinese men. Int J Cardiol. 2006;110:191-198
- 43. Lai LP, Su YN, Chiang FT, Juang JM, Liu YB, Ho YL, Chen WJ, Yeh SJ, Wang CC, Ko YL, Wu TJ, Ueng KC, Lei MH, Tsao HM, Chen SA, Lin TK, Wu MH, Lo HM, Huang SK, Lin JL. Denaturing high-performance liquid chromatography screening of the long QT syndrome-related cardiac sodium and potassium channel genes and identification of novel mutations and single nucleotide polymorphisms. J Hum Genet. 2005; 50: 490-6
- 44. Wu YW, Yen RF, Lee CM, Ho YL, Wang SS, Hsu RB, Chou NK, Huang PJ. Usefulness of Progressive Inhomogeneity of Myocardial Perfusion and Chronotropic Incompetence in Detecting Cardiac Allograft Vasculopathy: Evaluation with Dobutamine Thallium-201 Myocardial SPECT. Cardiology 2005; 104: 156-161
- 45. Wu YW, Huang PJ, Lee CM, Ho YL, Lin LC, Wang TD, Wang SS, Yen RF. Assessment of myocardial viability using F-18 fluorodeoxyglucose/Tc-99m sestamibi dual-isotope simultaneous acquisition SPECT: Comparison with Tl-201 stress-reinjection SPECT. J Nucl Cardiol. 2005; 12: 451-459
- 46. Wu YW, Yen RF, Lee CM, Ho YL, Chou NK, Wang SS, Huang PJ. Diagnostic and prognostic value of dobutamine thallium-201 single-photon emission computed tomography after heart transplantation. J Heart Lung Transplant. 2005; 24: 544-550
- 47. Lin LY, Wu CC, Liu YB, Ho YL, Liau CS, Lee YT. Derangement of heart rate variability during a catastrophic earthquake: a possible mechanism for increased heart attacks. Pacing Clin Electrophysiol 2001;24:1596-1601
- 48. Lin LC, Kao HL, Wu CC, Ho YL, Lee YT. Alterations of myocardial ultrasonic tissue characterization by coronary angioplasty in patients with chronic stable coronary artery disease. Ultrasound Med Biol 2001; 27:1191-1198
- 49. Huang PJ, Lin LC, Yen RF, Ho YL, Wu CC, Hsu KL, Kao HL. Accuracy of biphasic response, sustained improvement and worsening during dobutamine echocardiography in predicting recovery of resting myocardial dysfunction after revascularization: comparison with thallium-201SPECT. Ultraound Med Biol 2001; 27: 925-31
- Wu CC, Liu YB, Lin LC, Ho YL, Liau CS, Lee YT. Ultrasonic tissue characterization with integrated backscatter during inotropic stimulation. Ultraound Med Biol 2000;26:1413-1420
- 51. Liu YB, Wu CC, Lin LC, Ho YL, Kao HL, Lee YT Alteration in ultrasonic backscatter during intra-aortic balloon counterpulsation support in patients with acute myocardial infarction. Ultraound Med Biol 1999; 25:1185-1193
- 52. Li AH, Liau CS, Wu CC, Chien KL, Ho YL, Huang CH, Chen MF, Lee YT.Role of coronary angiography in myxoma patients: a 14-year experience in one medical center

- Cardiology 1999; 92: 232-235
- 53. Lai LP, Lin JL, Lin LJ, Chen WJ, Ho YL, Tseng YZ, Chen CH, Lee YT, Lien WP, Huang SK. New electrocardiographic criteria for the differentiation between counterclockwise and clockwise atrial flutter:correlation with electrophysiological study and radiofrequency catheter ablation Heart 1998;80:80-5
- 54. Liu YB, Huang PJ, Su CT, Chieng PU, Wu CC, Ho YL. Comparison of ST-T segment/heart rate slope with exercise thallium imaging and conventional S-T segment criteria in detecting coronary artery disease: effect of exercise level on accuracy. Cardiology 1998;89:229-234